

**YOUR COMPANY NAME  
SAFETY PLAN TEMPLATE**

# 1 WORKPLACE SAFETY PROGRAM

## Introduction

The enclosed sample Workplace Safety Program was created to assist employers with workplace safety program development and compliance.

This sample program is intended to serve as the basis for an employer-integrated safety and health management program. The program consists of these seven essential elements/sections:

1. Management's commitment and involvement
2. Safety committee operation
3. Provisions for safety and health training
4. Safety Inspections
5. Preventive Maintenance
6. First aid procedures
7. Accident investigations
8. Recordkeeping of injuries
9. Job specific safety rules and procedures

The first eight elements/sections are common to all employers. Employers may want to modify Job Specific Safety Rules and Procedures to reflect actual work-environment practices. However, if this manual meets the needs of your company, it may be used exactly as written. If you have previously established and are maintaining a safety program, you can continue to use your program if these essential elements are covered.

**Use of all or part of this manual does not relieve employers of their responsibility to comply with other applicable local, state or federal laws.**

## Instructions

Carefully review all sections of the sample program to know your employer responsibilities; determine which changes or modifications (if any) are necessary to have the program better accommodate your workplace. (For example, if a safety committee meets weekly or monthly instead of quarterly, then the Safety Committee Operation Section of the manual should be amended to accommodate the practice.) Include any safety rules, policies or procedures appropriate to your work environment that are not listed in this document. Edit any rules or policies that should be modified to better fit your company needs. **Remember—All employees must receive a copy of your written safety program. Your company letterhead should be used as a cover for the program.**

## TABLE OF CONTENTS

<b><u>1</u></b>	<b><u>WORKPLACE SAFETY PROGRAM .....</u></b>	<b><u>2</u></b>
<b><u>2</u></b>	<b><u>MANAGEMENT COMMITMENT AND INVOLVEMENT .....</u></b>	<b><u>ERROR! BOOKMARK NOT DEFINED.</u></b>
<b><u>2.1</u></b>	<b><u>POLICY STATEMENT .....</u></b>	<b><u>ERROR! BOOKMARK NOT DEFINED.</u></b>
<b><u>3</u></b>	<b><u>SAFETY COMMITTEE.....</u></b>	<b><u>6</u></b>
<b><u>3.1</u></b>	<b><u>SAFETY COMMITTEE ORGANIZATION.....</u></b>	<b><u>6</u></b>
<b><u>3.2</u></b>	<b><u>RESPONSIBILITIES .....</u></b>	<b><u>6</u></b>
<b><u>3.3</u></b>	<b><u>MEETINGS.....</u></b>	<b><u>7</u></b>
<b><u>3.4</u></b>	<b><u>SAFETY COMMITTEE MEETING MINUTES .....</u></b>	<b><u>8</u></b>
<b><u>4</u></b>	<b><u>SAFETY AND HEALTH TRAINING.....</u></b>	<b><u>9</u></b>
<b><u>4.1</u></b>	<b><u>SAFETY AND HEALTH ORIENTATION .....</u></b>	<b><u>9</u></b>
<b><u>4.2</u></b>	<b><u>JOB-SPECIFIC TRAINING .....</u></b>	<b><u>9</u></b>
<b><u>4.3</u></b>	<b><u>PERIODIC RETRAINING OF EMPLOYEES.....</u></b>	<b><u>9</u></b>
<b><u>4.4</u></b>	<b><u>SAFETY TRAINING DOCUMENTATION.....</u></b>	<b><u>10</u></b>
<b><u>5</u></b>	<b><u>SAFETY INSPECTIONS .....</u></b>	<b><u>11</u></b>
<b><u>6</u></b>	<b><u>PREVENTIVE MAINTENANCE.....</u></b>	<b><u>12</u></b>
<b><u>7</u></b>	<b><u>FIRST-AID PROCEDURES .....</u></b>	<b><u>13</u></b>
<b><u>7.1</u></b>	<b><u>MINOR FIRST-AID TREATMENT.....</u></b>	<b><u>13</u></b>
<b><u>7.2</u></b>	<b><u>NONEMERGENCY MEDICAL TREATMENT .....</u></b>	<b><u>13</u></b>
<b><u>7.3</u></b>	<b><u>EMERGENCY MEDICAL TREATMENT .....</u></b>	<b><u>13</u></b>
<b><u>7.4</u></b>	<b><u>FIRST-AID TRAINING .....</u></b>	<b><u>13</u></b>
<b><u>7.5</u></b>	<b><u>FIRST-AID INSTRUCTIONS .....</u></b>	<b><u>14</u></b>
<b><u>8</u></b>	<b><u>ACCIDENT INVESTIGATION .....</u></b>	<b><u>15</u></b>
<b><u>8.1</u></b>	<b><u>ACCIDENT INVESTIGATION PROCEDURES .....</u></b>	<b><u>15</u></b>
<b><u>8.2</u></b>	<b><u>ACCIDENT INVESTIGATION REPORT .....</u></b>	<b><u>16</u></b>
<b><u>8.3</u></b>	<b><u>INSTRUCTIONS FOR COMPLETING THE ACCIDENT INVESTIGATION REPORT .....</u></b>	<b><u>17</u></b>
<b><u>9</u></b>	<b><u>RECORDKEEPING PROCEDURES .....</u></b>	<b><u>18</u></b>
<b><u>10</u></b>	<b><u>SAFETY RULES, POLICIES AND PROCEDURES.....</u></b>	<b><u>19</u></b>

10.1	ALL EMPLOYEES .....	20
10.2	ALL EMPLOYEES .....	21
10.3	OFFICE PERSONNEL .....	22

**YOUR COMPANY NAME**  
**SAFETY POLICIES AND PROCEDURES MANUAL**  
S

---

Signature of CEO/President

---

Date

## 2 SAFETY COMMITTEE

### 2.1 SAFETY COMMITTEE ORGANIZATION

A safety coordinator or a safety committee has been established to recommend improvements to our workplace safety program and to identify corrective measures needed to eliminate or control recognized safety and health hazards. The safety committee consists of an “equal” representation of supervisory and nonsupervisory members of our organization.

Safety Program Coordinator _____	Nonsupervisory Employee Member _____
Supervisory Employee Member _____	Nonsupervisory Employee Member _____
Supervisory Employee Member _____	Nonsupervisory Employee Member _____

### 2.2 RESPONSIBILITIES

In a very small company, a Safety Coordinator can be appointed as the responsible party to satisfy the committee requirements for the credit.

The safety committee shall determine the schedule for evaluating the effectiveness of control measures used to protect employees from safety and health hazards in the workplace.

The safety committee will be responsible for assisting management in reviewing and updating workplace safety rules based on accident investigation findings, any inspection findings, and employee reports of unsafe conditions or work practices; and accepting and addressing anonymous complaints and suggestions from employees.

The safety committee will be responsible for assisting management in updating the workplace safety program by evaluating employee injury and accident records, identifying trends and patterns, and formulating corrective measures to prevent recurrence.

The safety committee will be responsible for assisting management in evaluating employee accident-and illness-prevention programs, and promoting safety and health awareness and co-worker participation through continuous improvements to the workplace safety program.

Safety committee members will participate in safety training and will be responsible for assisting management in monitoring workplace safety education and training to ensure that it is in place, that it is effective, and that it is documented.

### **2.3 MEETINGS**

Safety committee meetings are held quarterly, or more often if needed. The safety program coordinator will post the minutes of each meeting (see following page) within one week after each meeting.

## 2.4 SAFETY COMMITTEE MEETING MINUTES

Date of Committee Meeting: \_\_\_\_\_ Time: \_\_\_\_\_

Minutes Prepared by: \_\_\_\_\_ Location: \_\_\_\_\_

Names of Members in Attendance:


Previous Action Items: \_\_\_\_\_

Review of Accidents Since Previous Meeting: \_\_\_\_\_

Recommendations for Prevention: \_\_\_\_\_

Recommendations from Anonymous Employees: \_\_\_\_\_

Suggestions from Employees: \_\_\_\_\_

Recommended Updates to Safety Program: \_\_\_\_\_

Recommendations from Accident Investigation Reports: \_\_\_\_\_

Safety Training Recommendations: \_\_\_\_\_

Comments: \_\_\_\_\_



### **3 SAFETY AND HEALTH TRAINING**

#### **3.1 SAFETY AND HEALTH ORIENTATION**

Workplace safety and health orientation begins on the first day of initial employment or job transfer. Each employee has access to a copy of this safety manual, through his or her supervisor, for review and future reference, and each employee will be given a personal copy of the safety rules, policies and procedures pertaining to his or her job. Supervisors will ask questions of employees and answer employees' questions to ensure knowledge and understanding of safety rules, policies and job-specific procedures described in our workplace safety program manual.

All employees will be instructed by their supervisors that compliance with the safety rules described in the workplace safety manual is required.

***All training should be documented and records should be maintained.***

#### **3.2 JOB-SPECIFIC TRAINING**

- Supervisors will initially train employees on how to perform assigned job tasks safely.
- Supervisors will carefully review with each employee the specific safety rules, policies and procedures that are applicable and that are described in the workplace safety manual.
- Supervisors will give employees verbal instructions and specific directions on how to do the work safely.
- Supervisors will observe employees performing the work. If necessary, the supervisor will provide a demonstration using safe work practices or remedial instruction to correct training deficiencies before an employee is permitted to do the work without supervision.
- All employees will receive safe operating instructions on seldom-used or new equipment before using the equipment.
- Supervisors will review safe work practices with employees before permitting the performance of new, nonroutine or specialized procedures.

#### **3.3 PERIODIC RETRAINING OF EMPLOYEES**

All employees will be retrained periodically on safety rules, policies and procedures, and when changes are made to the workplace safety manual.

Individual employees will be retrained after the occurrence of a work-related injury caused by an unsafe act or work practice, and when a supervisor observes employees displaying unsafe acts, practices or behaviors.

### 3.4 SAFETY TRAINING DOCUMENTATION

EMPLOYEE:

DATE:

SUPERVISOR:

TRAINER:

RULES AND REGULATIONS REVIEWED

DATE: \_\_\_\_\_

General Review Of Old/New (Circle One) Safety Rules For All Employees

☐

Specific Safety Procedures for Employees Position

☐

General Maintenance

☐

First Aid

☐

Lifting Procedures

☐

Office Safety

☐

Furniture Use

☐

Equipment Use

☐

Climbing a Step Ladder

☐

Sanitation / Health

☐

All categories have been reviewed with employee.

Supervisor Name, Printed:

Signature: \_\_\_\_\_

I have been advised of all Safety and Health regulations and will adhere to them to the best of my ability.

Employee Name, Printed:

Signature: \_\_\_\_\_

## 4 SAFETY INSPECTIONS

It is up to all employees to maintain safe working conditions.

Checklists for safety inspections ensure that important items are not overlooked. Inspections identify areas of risk. (accident and/or injury)

OSHA *recommends* general workplace inspections; but, certain inspections are *required*. Be sure to check the standards to know what you must do in your facility.

Safety Directors/Supervisors should continually monitor work areas but scheduled inspections should be documented and done on a regular basis. Written reports of these inspections should be made and kept on file.

Management should make periodic inspections, announced and unannounced.

Vendors and organizations can supply inspection checklists. On the OSHA website ([www.osha.gov](http://www.osha.gov)), go to Safety and Health Topics under Small Business Training, and you will find extensive self-inspection checklists.

The following *suggestions* of generic checklists may assist you in creating your own. Be sure to mention the date, time, facility, and inspector and giving satisfactory, unsatisfactory, and “not applicable” columns.

Doors	Personnel Training
Windows	Stairs
Walking – Working Surfaces	Personal Protective Equipment
Lighting	Flammable & Combustible Materials
Fire Hazards	Hand and Portable Powered Tools
Electrical Boxes	Lockout/Tagout Procedures
Flammable Liquids	Confined Spaces
Emergency Exits:	Hazard Communication
Marked Properly	Electrical
Unobstructed	Building and Grounds Conditions
First Aid Kits, Supplies	Housekeeping Program
Fire Extinguishers	Heating and Ventilation
Accessible	Required OSHA Recordkeeping
Charged	Safety & Health Programs
Required Posters	Your Specific Work Environment

## 5 PREVENTIVE MAINTENANCE

Preventive maintenance programs will avoid most equipment failures. Provide regular equipment maintenance to prevent breakdowns that can create hazards.

Preventive maintenance is a schedule of planned inspections to prevent breakdowns and failures before they happen. Inspections should be performed at regularly scheduled times.

Preventive and regular maintenance should be documented, and tracked to completion.

During preventive maintenance, workers can document damage or wearing of parts or equipment so as to repair or replace parts *before* they cause a failure or injuries.

Without a preventive maintenance program, you will lose productivity, and costs will escalate.

## 6 FIRST-AID PROCEDURES

### Emergency Phone Numbers

Safety Coordinator: \_\_\_\_\_

First Aid Response: \_\_\_\_\_

Ambulance: \_\_\_\_\_

Medical Clinic: \_\_\_\_\_

Clinic Name/Address: \_\_\_\_\_

Poison Control: \_\_\_\_\_

Fire Department: \_\_\_\_\_

Police: \_\_\_\_\_

### 6.1 MINOR FIRST-AID TREATMENT

First-aid kits are kept in the front office and in the service vehicles. If you sustain an injury or are involved in an accident requiring minor first-aid treatment:

- Inform your supervisor.
- Administer first-aid treatment to the injury or wound.
- If a first-aid kit is used, indicate usage on the accident investigation report.
- Access to a first-aid kit is not intended to be a substitute for medical attention.
- Provide details for the completion of the accident investigation report.

### 6.2 NONEMERGENCY MEDICAL TREATMENT

For nonemergency work-related injuries requiring professional medical assistance, management must first authorize treatment. If you sustain an injury requiring treatment other than first aid:

- Inform your supervisor.
- Proceed to the posted medical facility. Your supervisor will assist with transportation, if necessary.
- Provide details for the completion of the accident investigation report.

### 6.3 EMERGENCY MEDICAL TREATMENT

If you sustain a severe injury requiring emergency treatment:

- Call for help and seek assistance from a co-worker.
- Use the emergency telephone numbers and instructions posted on the first-aid kit to request assistance and transportation to the local hospital emergency room.
- Provide details for the completion of the accident investigation report.

### 6.4 FIRST-AID TRAINING

Each employee will receive training and instructions from his or her supervisor regarding our first-aid procedures.

## 6.5 FIRST-AID INSTRUCTIONS

**In all cases requiring emergency medical treatment, immediately call or have a co-worker call to request emergency medical assistance. Use required bloodborne pathogen procedures while administering first aid.**

### **Wounds:**

Minor: *Cuts, lacerations, abrasions or punctures*

- Wash the wound using soap and water; rinse it well.
- Cover the wound using a clean dressing.

Major: *Large, deep and bleeding wounds*

- Stop the bleeding by pressing directly on the wound, using a bandage or cloth.
- Keep pressure on the wound until medical help arrives.

### **Broken Bones:**

- Do not move the victim unless it is absolutely necessary.
- If the victim must be moved, “splint” the injured area. Use a board, cardboard or rolled newspaper as a splint.

### **Burns:**

Thermal (Heat)

- Rinse the burned area without scrubbing it, and immerse it in cold water.  
*Do not use ice water.*
- Blot dry the area and cover it using sterile gauze or a clean cloth.

Chemical

- Immediately flush the exposed area with cool water for 15 to 20 minutes.

### **Eye Injury:**

Small particles

- Do not rub your eyes.
- Use the corner of a soft clean cloth to draw particles out, or hold the eyelids open and flush the eyes continuously with water.

Large or stuck particles

- If a particle is stuck in the eye, do not attempt to remove it.
- Cover both eyes with a bandage.

Chemical

- Immediately irrigate the eyes and under the eyelids with water for 30 minutes.

### **Neck or Spine Injury:**

- If the victim appears to have injured his or her neck or spine, or is unable to move his or her arm or leg, do not attempt to move the victim unless it is absolutely necessary.

### **Heat Exhaustion:**

- Loosen the victim’s tight clothing.
- Give the victim *sips* of cool water.
- Make the victim lie down in a cooler place with the feet raised.

## **7 ACCIDENT INVESTIGATION**

### **7.1 ACCIDENT INVESTIGATION PROCEDURES**

An accident investigation will be performed by the supervisor at the location where the accident occurred. The safety coordinator is responsible for seeing that the accident investigation reports are being filled out completely and that the recommendations are being addressed. Supervisors will investigate all accidents, injuries and occupational diseases using the following investigation procedures:

- Implement temporary control measures to prevent any further injuries to employees.
- Review the equipment, operations and processes to gain an understanding of the accident situation.
- Identify and interview each witness and any other person who might provide clues to the accident's causes.
- Investigate causal conditions and unsafe acts; make conclusions based on existing facts.
- Complete the accident investigation report.
- Provide recommendations for corrective actions.
- Indicate the need for additional or remedial safety training.

Accident investigation reports must be submitted to the safety coordinator within 24 hours of the accident.

**OSHA requires employers to report any/all of the following within 8 hours of the incident:**

- Fatalities
- A single incident which requires hospitalization of 3 or more employees

**OSHA CENTRAL TELEPHONE NUMBER: 1-800-321-6742**

## 7.2 ACCIDENT INVESTIGATION REPORT

Report No.: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

1. Name of injured: \_\_\_\_\_ S.S. No.: \_\_\_\_\_

2. Sex: ☐ M ☐ F Age: \_\_\_\_\_ Date of accident: \_\_\_\_\_

3. Time of accident: \_\_\_\_\_ a.m. \_\_\_\_\_ p.m. Day of accident: \_\_\_\_\_

4. Employee's job title: \_\_\_\_\_

5. Length of experience on job: \_\_\_\_\_ years: \_\_\_\_\_ months

6. Address of location where the accident occurred: \_\_\_\_\_

7. Nature of injury, injury type, and part of the body affected: \_\_\_\_\_

8. Describe the accident and how it occurred: \_\_\_\_\_

9. Cause of the accident: \_\_\_\_\_

10. Was personal protective equipment required? ☐ yes ☐ no

Was it provided? ☐ yes ☐ no

Was it being used? ☐ yes ☐ no

If "no," explain: \_\_\_\_\_

Was it being used as trained by supervisor or designated trainer? ☐ yes ☐ no

If "no," explain: \_\_\_\_\_

11. Witness(es): \_\_\_\_\_

12. Was safety training provided to the injured? ☐ yes ☐ no

If "no," explain: \_\_\_\_\_

13. Interim corrective actions taken to prevent recurrence: \_\_\_\_\_

14. Permanent corrective action recommended to prevent recurrence: \_\_\_\_\_

15. Date of report: \_\_\_\_\_ , \_\_\_\_\_ 20\_\_\_\_

Prepared by: \_\_\_\_\_

Supervisor (**Signature**): \_\_\_\_\_ Date: \_\_\_\_\_

16. Status and follow-up action taken by safety coordinator: \_\_\_\_\_

Safety Coordinator (**Signature**) \_\_\_\_\_ Date \_\_\_\_\_



### 7.3 INSTRUCTIONS FOR COMPLETING THE ACCIDENT INVESTIGATION REPORT

An accident investigation is not designed to find fault or place blame, but it is an analysis of the accident to determine causes that can be controlled or eliminated.

**(Items 1-6) Identification:** This section is self-explanatory.

- (Item 7)**      **Nature of Injury:** Describe the injury, e.g., strain, sprain, cut, burn, fracture.  
                 **Injury Type:** First aid—injury resulted in minor injury/treated on premises; Medical—injury treated off premises by physician; Lost time—injured missed more than one day of work; No Injury—no injury, near-miss type of incident.  
                 **Part of the Body:** Part of the body directly affected, e.g., foot, arm, hand, head.
- (Item 8)**      **Describe the accident:** Describe the accident, including exactly what happened, and where and how it happened. Describe the equipment or materials involved.
- (Item 9)**      **Cause of the accident:** Describe all conditions or acts which contributed to the accident, e.g.—
- a.          unsafe conditions (spills, grease on the floor, poor housekeeping or other physical conditions).
  - b.          unsafe acts (unsafe work practices such as failure to warn, failure to use required personal protective equipment).
- (Item 10)**     **Personal protective equipment:** This section is self-explanatory.
- (Item 11)**     **Witness(es):** List name(s), address(es), and phone number(s).
- (Item 12)**     **Safety training provided:** Was any safety training provided to the injured relating to the work activity being performed?
- (Item 13)**     **Interim corrective action:** Measures taken by supervisor to prevent recurrence of incident, e.g., barricading accident area, posting warning signs, shutting down operations.
- (Item 14):**      This section is self-explanatory.
- (Item 15):**      This section is self-explanatory.
- (Item 16)**     **Follow-up:** Once the investigation is complete, the safety coordinator shall review and follow up the investigation to ensure that corrective actions recommended by the safety committee and approved by the employer are taken and that control measures have been implemented.

## 8 RECORDKEEPING PROCEDURES

The safety coordinator will control and maintain all employee accident and injury records. Records are maintained for a minimum of five (5) years and include:

- Accident Investigation Reports, see Section 7, page 17
- Workers' Compensation First Report of Injury or Illness
- Log and Summary of Occupational Injuries and Illnesses as required by OSHA's Recordkeeping Regulation, 29 CFR 1904.2:
  - OSHA Form 300 (Rev. 1-2004): Log of Work Related Injuries and Illnesses
  - OSHA Form 300A (Rev. 1-2004): Summary of Work Related Injuries and Illnesses
  - OSHA Form 301: Injury and Illness Incident Report

For certain business classes, Federal OSHA provides for an exemption from accident record keeping requirements. For a current list of business classes that may be exempt from this requirement, please visit the following website: [www.osha.gov](http://www.osha.gov). Go to the "Recordkeeping" link, and then the "Partially Exempt Industries" link in the middle of the page.

Note: Individual state-specific accident record keeping requirements may exist for certain states. In such a case the above exemption does not apply. Please contact your state OSHA office (if applicable) for clarification.

## 9 SAFETY RULES, POLICIES AND PROCEDURES

The safety rules contained on these pages have been prepared to protect you in your daily work. Employees are to follow these rules, review them often and use good common sense in carrying out assigned duties.

These safety rules shall include both general workplace safety rules and job-specific safety rules.

### **General Rules:**

All Employees

### **Job-Specific Rules:**

By Occupational Class, e.g., painter, clerk, carpenter, etc.

**(Note to Employer:** General and job-specific safety rules are to be determined based on the needs and exposures of your particular company and its employees. The following pages represent some common examples.)

## **9.1 ALL EMPLOYEES**

### **9.1.1 HOUSEKEEPING**

1. Use caution signs/cones to barricade slippery areas.
2. Do not store or leave items on stairways.
3. Return tools to their storage places after using them.
4. Do not block or obstruct stairwells, exits or accesses to safety and emergency equipment such as fire extinguishers or fire alarms.
5. Do not place materials such as boxes or trash in walkways and passageways.
6. Do not use gasoline for cleaning purposes.
7. Mop up water around water fountains, drink machines and ice machines.

### **9.1.2 LIFTING PROCEDURES**

#### General

1. Test the weight of the load before lifting by pushing the load along its resting surface.
2. If the load is too heavy or bulky, use lifting and carrying aids such as hand trucks, dollies, pallet jacks and carts, or get assistance from a co-worker.
3. Never lift anything if your hands are greasy or wet.
4. Wear protective gloves when lifting objects with sharp corners or jagged edges.

### **9.1.3 WHEN LIFTING—**

1. Face the load.
2. Position your feet 6"-12" apart with one foot slightly in front of the other.
3. Bend at the knees, not at the back.
4. Keep your back straight.
5. Get a firm grip on the object using your hands and fingers. Use handles when they are present.
6. Hold the object as close to your body as possible.
7. Perform lifting movements smoothly and gradually; do not jerk the load.
8. If you must change direction while lifting or carrying the load, pivot your feet and turn your entire body. Do not twist at the waist.
9. Set down objects in the same manner as you picked them up, except in reverse.
10. Do not lift an object from the floor to a level above your waist in one motion. Set the load down on a table or bench and then adjust your grip before lifting it higher.

## **9.2 ALL EMPLOYEES**

### **9.2.1 LADDERS AND STEPLADDERS**

1. Read and follow the manufacturer's instruction label affixed to the ladder if you are unsure how to use the ladder.
2. Do not use ladders that have loose rungs, cracked or split side rails, missing rubber foot pads, or other visible damage.
3. Keep ladder rungs clean and free of grease. Remove buildup of material such as dirt or mud.
4. When performing work from a ladder, face the ladder and do not lean backward or sideways from the ladder.
5. Allow only one person on the ladder at a time.
6. Do not stand on the top two rungs of any ladder.
7. Do not stand on a ladder that wobbles or leans to the left or right of center or is crooked.
8. Do not try to "walk" a ladder by rocking it. Climb down the ladder and then move it.

### **9.2.2 CLIMBING A LADDER**

1. Face the ladder when climbing up or down it.
2. Do not carry items in your hands while climbing up or down a ladder.
3. Maintain a three-point contact by keeping both hands and one foot or both feet and one hand on the ladder at all times when climbing up or down the ladder.

### **9.2.3 DRIVING/VEHICLE SAFETY**

#### **Fueling Vehicles**

1. Turn the vehicle off before fueling.
2. Do not smoke while fueling a vehicle.
3. Wash hands with soap and water if you spill gasoline on them.

#### **Driving Rules**

1. Shut all doors and fasten your seat belt before moving the vehicle.
2. Obey traffic patterns and signs at all times.
3. Maintain a three-point contact using both hands and one foot or both feet and one hand when climbing into and out of vehicles.
4. Do not leave keys in an unattended vehicle.

### **9.3 OFFICE PERSONNEL**

#### **9.3.1 OFFICE SAFETY**

##### **General**

1. Do not place material such as boxes or trash in walkways and passageways.
2. Do not throw matches, cigarettes or other smoking materials into trash baskets.
3. Do not kick objects out of your pathway; pick them up or push them out of the way.
4. Keep floors clear of items such as paper clips, pencils, tacks or staples.
5. Straighten or remove rugs and mats that do not lie flat on the floor.
6. Mop up water around water fountains and drink machines.
7. Do not block your view by carrying large or bulky items; use a dolly or hand truck or get assistance from a fellow employee.
8. Store sharp objects, such as pens, pencils, letter openers or scissors, in drawers or with the points down in a container.
9. Carry pencils, scissors and other sharp objects with the tips pointing down.
10. Use the ladder or step stool to retrieve or store items that are located above your head.
11. Do not run on stairs or take more than one step at a time.
12. Keep doors in hallways fully open or fully closed.
13. Use handrails when ascending or descending stairs or ramps.
14. Obey all posted safety and danger signs.

#### **9.3.2 FURNITURE USE**

1. Open only one file cabinet drawer at a time. Close the filing cabinet drawer you were working in before opening another filing drawer in the same cabinet.
2. Use the handle when closing doors, drawers and files.
3. Put heavy files in the bottom drawers of file cabinets.
4. Do not tilt your chair on its back two legs while you are sitting in it.
5. Do not stand on furniture to reach high places.

#### **9.3.3 EQUIPMENT USE**

1. Do not use fans that have excessive vibration, frayed cords or missing guards.
2. Do not place floor-type fans in walkways, aisles or doorways.
3. Do not plug multiple electrical cords into a single outlet.
4. Do not use extension or power cords that have the ground prong removed or broken off.
5. Do not use frayed, cut or cracked electrical cords.
6. Use a cord cover or tape down cords when running them across aisles, between desks or across entrances or exits.
7. Turn the power switch of the local exhaust fans to "ON" when operating the blueprint machine.
8. Do not use lighting fluid to clean drafting equipment; use soap and water.